

Вентиляторы осевые для дымоудаления ВО-13-284 №4...20 ДУ

Основные технические характеристики

Обозначение вентилятора	Типоразмер двигателя	Производительность, м ³ /с	Полное давление, Па	Частота вращения РК, об/мин	Установочная мощность, кВт	Масса не более, кг
ВО-13-284 3/10-4	AIP56B2	0,35-1,38	190-110	2760	0,25	18
	AIP63A2	0,35-1,38	189-110	2751	0,37	22
	AIP63A6	0,11-0,44	20-11	885	0,18	22
ВО-13-284 3/15-4	AIP63A2	1,11-1,57	185-140	2751	0,37	22
	AIP56A4	0,13-0,79	55-35	1380	0,12	18
	AIP63A6	0,09-0,51	20-15	885	0,18	22
ВО-13-284 3/20-4	AIP63B2	0,37-1,72	210-176	2745	0,55	22
	AIP50B4	0,52-0,86	52-44	1371	0,09	17
	AIP63A6	0,35-0,55	22-18	885	0,18	22
ВО-13-284 3/25-4	AIP71A2	1,30-2,00	250-220	2823	0,75	27
	AIP50B4	0,64-0,96	60-52	1371	0,09	17
	AIP63A6	0,41-0,62	25-22	885	0,18	22
ВО-13-284 3/30-4	AIP71A2	0,78-2,10	260-250	2823	0,75	27
	AIP56A4	0,88-1,03	62-60	1380	0,12	18
	AIP63A6	0,45-0,64	26-20	885	0,18	22
ВО-13-284 4/10-4	AIP63A2	0,09-1,38	264-110	2751	0,37	22
	AIP63A6	0,03-0,44	27-11	885	0,18	22
ВО-13-284 4/15-4	AIP71A2	0,24-1,68	275-160	2745	0,55	27
	AIP56A4	0,12-0,85	70-42	1380	0,12	18
	AIP63A6	0,08-0,54	28-17	885	0,18	22
ВО-13-284 4/20-4	AIP71A2	1,26-1,97	289-220	2823	0,75	27
	AIP50B4	0,61-0,97	69-52	1371	0,09	17
	AIP63A6	0,4-0,62	28-21	885	0,18	22
ВО-13-284 4/25-4	AIP71B2	1,55-2,15	310-265	2811	1,1	27
	AIP56A4	0,76-1,05	74-63	1370	0,12	18
	AIP63A6	0,49-0,68	31-25	885	0,18	22
ВО-13-284 4/30-4	AIP71B2	1,81-2,32	335-309	2811	1,1	27
	AIP56A4	0,89-1,13	80-75	1380	0,12	18
	AIP63A6	0,57-0,73	33-30	885	0,18	22
Обозначение вентилятора	Типоразмер двигателя	Производительность, м ³ /с	Полное давление, Па	Частота вращения РК, об/мин	Установочная мощность, кВт	Масса не более, кг
ВО-13-284 6/10-4	AIP63B2	0,14-1,56	367-140	2745	0,55	23
	AIP50B4	0,07-0,78	92-35	1371	0,09	18
	AIP63A6	0,04-0,5	38-14	885	0,18	23
ВО-13-284 6/15-4	AIP 71M2	0,22-1,87	400-200	2823	0,75	28
	AIP50B4	0,11-0,92	95-50	1371	0,09	18
	AIP63A6	0,07-0,59	39-20	885	0,18	23
ВО-13-284 6/20-4	AIP71B2	1,14-2,10	360-250	2811	1,1	28
	AIP50B4	0,71-1,02	85-60	1369	0,09	18
	AIP63A6	0,46-0,66	35-25	885	0,18	23
ВО-13-284 6/25-4	AIP71B2	1,70-2,36	395-320	2811	1,1	28
	AIP56B4	0,83-1,15	94-76	1370	0,18	19
	AIP63A6	0,54-0,74	39-31	885	0,18	23

BO-13-284 6/30-4	AIP80A2 AIP56B4 AIP63A6	1,99-2,66 0,95-1,28 0,60-0,82	452-400 103-92 43-32	2874 1370 885	1,5 0,18 0,18	32 19 23
BO-13-284 8/10-4	AIP63B2 AIP50A4 AIP63A6	0,2-1,57 0,1-0,77 0,06-0,49	480-145 113-34 47-14	2845 1379 885	0,55 0,06 0,18	23 18 24
BO-13-284 8/15-4	AIP71A2 AIP50A4 AIP63A6	0,15-1,89 0,07-0,93 0,05-0,59	505-205 120-50 50-20	2823 1371 885	0,75 0,09 0,18	29 18 24
BO-13-284 8/20-4	AIP71B2 AIP56A4 AIP63A6	1,55-2,16 0,76-1,05 0,49-0,68	400-270 96-65 40-27	2811 1380 885	1,1 0,12 0,18	29 19 24
BO-13-284 8/25-4	AIP80A2 AIP56B4 AIP63A6	1,91-2,50 0,91-1,19 0,59-0,77	470-360 107-83 45-34	2874 1370 885	1,5 0,18 0,18	33 19 24
BO-13-284 8/30-4	AIP80B2 AIP56B4 AIP63A6	2,12-2,77 1,01-1,32 0,65-0,85	527-445 120-102 50-43	2871 1370 885	2,2 0,18 0,18	33 19 24
BO-13-284 10/15-4	AIP71A2 AIP50B4 AIP63A6	0,91-1,89 0,44-0,92 0,29-0,59	410-230 97-54 40-23	2823 1371 885	0,75 0,09 0,18	30 19 24
BO-13-284 10/20-4	AIP71B2 AIP56A4 AIP63A6	1,55-2,16 0,76-1,06 0,49-0,68	440-295 105-70 45-30	2811 1380 885	1,1 0,12 0,18	30 20 24
BO-13-284 10/25-4	AIP80A2 AIP56B4 AIP63A6	1,91-2,50 0,91-1,19 0,59-0,77	520-400 120-90 50-38	2874 1380 885	1,5 0,18 0,18	34 20 24
BO-13-284 10/30-4	AIP80B2 AIP63A4 AIP63A6	2,12-2,77 1,02-1,33 0,65-0,85	580-490 135-115 55-47	2871 1380 885	2,2 0,25 0,18	35 24 24
BO-13-284 12/15-4	AIP71A2 AIP71B2 AIP50B4 AIP63A6	1,31-1,89 0,91-1,89 0,44-0,92 0,29-0,59	400-240 425-235 100-55 42-24	2823 2811 1371 885	0,71 1,1 0,09 0,18	31 31 20 25
BO-13-284 12/20-4	AIP71B2 AIP56A4 AIP63A6	1,55-2,16 0,76-1,06 0,49-0,69	460-310 110-75 45-30	2811 1380 885	1,1 0,12 0,18	31 21 25
BO-13-284 12/25-4	AIP80A2 AIP56B4 AIP63A6	1,91-2,50 0,91-1,19 0,59-0,77	545-420 124-95 52-40	2874 1370 885	1,5 0,18 0,18	34 21 25
BO-13-284 12/30-4	AIP80B2 AIP63A4 AIP63A6	2,12-2,77 1,02-1,33 0,65-0,85	610-515 140-120 58-49	2871 1380 885	2,2 0,25 0,18	36 25 25
BO-13-284 12к/15-4	AIP71A2 AIP56A4 AIP63A6	0,45-1,04 0,22-0,51 0,14-0,33	630-95 150-20 62-9	2823 1380 885	0,75 0,12 0,18	31 21 25
BO-13-284 12к/25-4	AIP71B2 AIP56A4 AIP63A6	0,96-1,61 0,47-0,79 0,30-0,51	625-250 150-60 62-25	2811 1380 885	1,1 0,12 0,18	31 21 25
BO-13-284 12к/30-4	AIP80A2 AIP56B4 AIP63A6	1,21-1,97 0,58-0,94 0,37-0,61	695-350 160-80 66-33	2874 1370 885	1,5 0,18 0,18	34 21 25
Обозначение вентилятора	Типоразмер двигателя	Производительность, м³/с	Полное давление, Па	Частота вращения	Установочная мощность, кВт	Масса не

				РК, об/мин		более, кг
BO-13-284 12к/35-4	AIP80B2 AIP63A4 AIP63A6	1,44-2,19 0,69-1,05 0,44-0,68	775-475 180-110 74-45	2871 1380 885	2,2 0,25 0,18	36 25 25
BO-13-284 12к/40-4	AIP80B2 AIP63A4 AIP63A6	1,59-2,46 0,76-1,18 0,49-0,76	814-570 190-130 77-54	2871 1380 885	2,2 0,25 0,18	36 25 25
BO-13-284 12к/45-4	AIP90L2 AIP63B4 AIP63A6	1,89-2,71 0,90-1,29 0,58-0,83	870-695 196-157 83-66	2871 1365 885	3 0,37 0,18	45 25 25
BO-13-284 3/10-5	AIP71A2 AIP56A4 AIP63A6 AIP71B8	0,71-2,76 0,34-1,35 0,22-0,86 0,16-0,64	311-180 74-43 31-18 17-10	2823 1371 885 655	0,75 0,09 0,18 0,25	38 29 30 38
BO-13-284 3/15-5	AIP80A2 AIP56B4 AIP63A6 AIP71B8	0,55-3,22 0,26-1,54 0,17-0,99 0,12-0,73	350-245 80-55 34-23 20-13	2874 1370 885 655	1,5 0,18 0,18 0,25	40 29 30 38
BO-13-284 3/20-5	AIP80A2 AIP56B4 AIP63A6 AIP71B8	0,75-3,51 1,02-1,69 0,66-1,08 0,17-0,8	360-300 85-70 35-29 20-15	2874 1370 885 655	1,5 0,18 0,18 0,25	40 29 30 38
BO-13-284 3/25-5	AIP80B2 AIP63A4 AIP63A6 AIP71B8	2,60-3,94 1,25-1,87 0,80-1,21 0,59-0,9	405-360 95-80 40-35 21-19	2871 1380 885 655	2,2 0,25 0,18 0,25	43 30 30 38
BO-13-284 3/30-5	AIP90L2 AIP63B4 AIP63A6 AIP71B8	3,56-4,19 0,69-1,99 1,16-1,29 0,81-0,96	420-410 95-92 40-35 22-20	2871 1365 885 655	3 0,37 0,18 0,25	52 30 30 38
BO-13-284 4/10-5	AIP71B2 AIP56A4 AIP63A6 AIP71B8	0,17-2,76 0,09-1,35 0,05-0,87 0,04-0,64	432-178 104-43 43-18 23-10	2811 1380 885 655	1,1 0,12 0,18 0,25	38 29 30 38
BO-13-284 4/15-5	AIP80A2 AIP56B4 AIP63A6 AIP71B8	0,49-3,44 0,23-1,65 0,15-1,06 0,11-0,78	472-285 110-65 45-27 25-15	2874 1370 885 655	1,5 0,18 0,18 0,25	40 29 30 38
BO-13-284 4/20-5	AIP80B2 AIP63M4 AIP63A6 AIP71B8	2,50-3,93 1,20-1,89 0,77-1,21 0,57-0,90	470-360 108-83 44-34 24-18	2871 1380 885 655	2,2 0,25 0,18 0,25	43 30 30 38
BO-13-284 4/25-5	AIP90L2 AIP63B4 AIP63A6 AIP71B8	3,10-4,29 1,47-2,04 0,96-1,32 0,71-0,98	505-430 114-98 48-41 23-26	2871 1365 885 655	3 0,37 0,18 0,25	52 30 30 38
BO-13-284 4/30-5	AIP90L2 AIP63B4 AIP63A6 AIP71B8	3,62-4,63 1,72-2,20 1,10-1,43 0,82-1,06	545-505 125-115 52-48 28-26	2871 1365 885 655	3 0,37 0,18 0,25	52 30 30 38
BO-13-284 6/10-5	AIP80A2 AIP56B4 AIP63A6 AIP71B8	0,28-3,19 0,13-1,52 0,09-0,98 0,06-0,73	630-240 145-55 60-23 33-13	2874 1370 885 655	1,5 0,18 0,18 0,25	41 31 32 39
BO-13-284 6/15-5	AIP80B2 AIP63A4	0,44-3,73 0,21-1,78	650-330 150-75	2871 1380	2,2 0,25	44 31

	AIP63A6 AIP71B8	0,14-1,15 0,1-0,85	62-13 34-17	885 655	0,18 0,25	32 39
BO-13-284 6/20-5	AIP90L2 AIP63B4 AIP63A6 AIP71B8	2,92-4,19 0,39-1,99 0,90-1,29 0,68-0,96	585-410 132-95 55-40 30-22	2871 1365 885 655	3 0,37 0,18 0,25	53 31 32 39
Обозначение вентилятора	Типоразмер двигателя	Производительность, м³/с	Полное давление, Па	Частота вращения РК, об/мин	Установочная мощность, кВт	Масса не более, кг
BO-13-284 6/25-5	AIP100S2 AIP71A4 AIP63A6 AIP71B8	3,43-4,76 1,64-2,28 1,10-1,45 0,77-1,07	660-530 150-120 61-50 34-27	2901 1391 885 655	4 0,55 0,18 0,25	60 39 31 39
BO-13-284 6/30-5	AIP100L2 AIP71A4 AIP63A6 AIP71B8	3,92-5,24 1,88-2,51 1,20-1,61 0,09-1,19	720-640 165-148 67-60 37-32	2898 1391 885 655	5,5 0,55 0,18 0,25	66 39 31 39
BO-13-284 8/10-5	AIP80A2 AIP56B4 AIP63A6 AIP71B8	0,4-3,11 0,19-1,45 0,12-0,96 0,09-0,71	770-230 174-53 72-22 40-12	2874 1370 885 655	1,5 0,18 0,18 0,25	42 30 32 40
BO-13-284 8/15-5	AIP90L2 AIP63B4 AIP63A6 AIP71B8	0,3-3,76 0,14-1,79 0,09-1,16 0,07-0,86	820-335 185-75 78-32 43-18	2871 1365 885 655	3 0,37 0,18 0,25	54 32 32 40
BO-13-284 8/20-5	AIP90L2 AIP63B4 AIP63A6 AIP71B8	3,10-4,31 1,47-2,05 0,96-1,33 0,71-0,98	650-440 150-100 62-42 33-23	2871 1365 885 655	3 0,37 0,18 0,25	54 32 32 40
BO-13-284 8/25-5	AIP100S2 AIP71A4 AIP63A6 AIP71B8	3,77-4,94 1,81-2,36 1,15-1,51 0,85-1,11	750-580 173-133 70-54 38-29	2901 1391 885 655	4 0,55 0,18 0,25	61 40 32 40
BO-13-284 8/30-5	AIP100L2 AIP71B4 AIP63A6 AIP71B8	4,17-5,47 2,00-2,62 1,23-1,61 0,94-1,24	840-710 190-160 73-62 43-36	2898 1388 885 655	5,5 0,75 0,18 0,25	67 40 32 40
BO-13-284 10/15-5	AIP90L2 AIP63B4 AIP63A6 AIP71B8	1,82-3,76 0,86-1,79 0,56-1,16 0,42-0,87	665-370 150-84 63-35 35-20	2871 1365 885 655	3 0,37 0,18 0,25	55 33 33 41
BO-13-284 10/20-5	AIP90L2 AIP100S2 AIP63B4 AIP63A6 AIP71B8	3,66-4,31 3,13-4,35 1,47-2,05 0,96-1,33 0,72-1,00	640-485 730-495 160-110 68-46 38-26	2871 2901 1365 885 655	3 4 0,37 0,18 0,25	55 62 33 33 41
BO-13-284 10/25-5	AIP100L2 AIP71A4 AIP63A6 AIP71B8	3,77-4,93 1,81-2,37 1,15-1,51 0,85-1,11	825-635 190-145 77-60 42-32	2898 1391 885 655	5,5 0,55 0,18 0,25	68 42 33 41
BO-13-284 10/30-5	AIP100L2 AIP71B4 AIP63A6 AIP71B8	4,17-5,47 2,00-2,62 1,23-1,61 0,94-1,24	925-785 210-180 80-68 47-40	2898 1388 885 655	5,5 0,75 0,18 0,25	68 41 33 41
BO-13-284 12/15-5	AIP90L2 AIP63B4 AIP63A6	1,82-3,76 0,86-1,79 0,56-1,16	695-385 157-86 66-37	2871 1365 885	3 0,37 0,18	56 34 34

BO-13-284 12/20-5	AIP100S2 AIP63B4 AIP63A6	3,13-4,35 1,47-2,05 0,96-1,33	765-520 170-115 71-48	2901 1365 885	4 0,37 0,18	63 34 34
BO-13-284 12/25-5	AIP100L2 AIP71A4 AIP63A6	3,77-4,93 1,81-2,37 1,15-1,51	865-665 200-155 80-62	2898 1391 885	5,5 0,55 0,18	69 42 34
BO-13-284 12/30-5	AIP100L2 AIP112M2 AIP71B4 AIP63A6 AIP71B8	1,70-4,17 4,21-5,52 2,00-2,62 1,27-1,67 0,94-1,24	735-970 990-835 225-190 90-77 50-42	2898 2925 1388 885 655	5,5 7,5 0,75 0,18 0,25	69 83 42 34 42
BO-13-284 12к/ 15 -5	AIP80B2 AIP63B4 AIP63A6	0,89-2,07 0,43-0,99 0,27-0,64	1015-150 235-35 97-15	2871 1380 885	2,2 0,25 0,18	47 34 34
Обозначение вентилятора	Типоразмер двигателя	Производительность, м³/с	Полное давление, Па	Частота вращения РК, об/мин	Установочная мощность, кВт	Масса не более, кг
BO-13-284 12к/ 25 -5	AIP100S2 AIP63B4 AIP63A6	1,94-3,24 0,91-1,53 0,59-0,99	1040-415 230-90 97-39	2901 1365 885	4 0,37 0,18	63 34 34
BO-13-284 12к/ 30 -5	AIP100L2 AIP71A4 AIP63A6	3,38-3,87 1,14-1,86 0,73-1,18	1105-550 255-130 103-50	2898 1390 885	5,5 0,55 0,18	69 42 34
BO-13-284 12к/ 35 -5	AIP112M2 AIP71B4 AIP63A6	2,86-4,36 1,36-2,07 0,86-1,32	1260-774 285-175 115-70	2925 1388 885	7,5 0,75 0,18	83 42 34
BO-13-284 12к/ 40 -5	AIP112M2 AIP71MB4 AIP63B6	2,86-4,89 1,50-2,32 0,96-1,49	1265-925 300-210 123-86	2925 1388 892	7,5 0,75 0,25	83 42 34
BO-13-284 12к/ 45 -5	AIP132M2 AIP80A4 AIP63B6	3,77-5,39 1,81-2,61 1,15-1,64	1410-1130 330-265 130-105	2931 1419 892	11 1,1 0,25	120 44 34
BO-13-284 3/10-6,3	AIP90S2 AIP63B4 AIP63A6 AIP71B8	1,5-5,6 0,7-2,7 0,5-1,7 0,3-1,3	510-290 115-67 50-28 30-15	2871 1365 885 655	3 0,37 0,18 0,25	73 50 50 60
BO-13-284 3/15-6,3	AIP100S2 AIP71A4 AIP63B6 AIP71B8	1,1-6,5 0,5-3,1 0,3-2,0 0,3-1,5	570-395 130-90 54-37 30-20	2901 1391 892 655	4 0,55 0,25 0,25	81 60 50 60
BO-13-284 3/20-6,3	AIP100L2 AIP71A4 AIP63B6 AIP71B8	4,3-7,2 2,1-3,4 1,3-2,2 0,3-1,6	600-490 140-112 60-45 30-20	2898 1391 892 655	5,5 0,55 0,25 0,25	87 60 50 60
BO-13-284 3/25-6,3	AIP112M2 AIP80A4 AIP63B6 AIP71B8	5,3-8,0 2,6-3,9 1,6-2,5 1,2-1,8	665-600 155-140 62-55 35-30	2925 1419 892 655	7,5 1,1 0,25 0,25	100 62 50 60
BO-13-284 3/30-6,3	AIP132M2 AIP80A4 AIP71A6 AIP71B8	7,3-8,6 3,5-4,1 2,3-2,6 1,6-1,9	700-670 165-150 67-65 35-30	2931 1419 908 655	11 1,1 0,37 0,25	137 62 60 60
BO-13-284 4/10-6,3	AIP90L2 AIP63B4 AIP63A6 AIP71B8	0,4-5,7 0,2-2,7 0,1-1,7 0,1-1,3	715-290 162-67 68-28 37-15	2871 1365 885 655	3 0,37 0,18 0,25	73 50 50 60

BO-13-284 4/15-6,3	AIP100L2 AIP71A4 AIP63A6 AIP71B8	1,0-6,9 0,5-3,3 0,3-2,1 0,2-1,6	765-460 175-105 71-43 40-24	2898 1391 885 655	5,5 0,55 0,18 0,25	88 60 50 60
BO-13-284 4/20-6,3	AIP112M2 AIP71B4 AIP63B6 AIP71B8	5,1-8,0 2,4-3,9 1,6-2,4 1,1-1,8	770-590 175-130 72-55 40-30	2925 1388 892 655	7,5 0,75 0,25 0,25	100 60 50 60
BO-13-284 4/25-6,3	AIP132M2 AIP80A4 AIP71A6 AIP71B8	6,3-8,8 3,1-4,3 2,0-2,7 1,4-2,0	835-715 196-165 70-68 42-35	2931 1419 908 655	11 1,1 0,37 0,25	137 62 60 60
BO-13-284 4/30-6,3	AIP132M2 AIP80B4 AIP71A6 AIP71B8	7,4-9,5 3,6-4,6 2,2-2,9 1,7-2,1	903-835 210-190 87-80 45-41	2931 1413 908 655	11 1,5 0,37 0,25	137 64 60 60
BO-13-284 6/10-6,3	AIP100L2 AIP71A4 AIP63B6 AIP71B8	0,6-6,4 0,3-3,1 0,2-2,0 0,1-1,5	1015-335 234-90 96-37 52-20	2898 1391 892 655	5,5 0,55 0,25 0,25	86 59 51 59
BO-13-284 6/15-6,3	AIP112M2 AIP71B4 AIP63B6 AIP71B8	0,9-7,6 0,4-3,7 0,3-2,3 0,2-1,7	1065-540 240-120 100-50 55-25	2925 1388 829 655	7,5 0,75 0,25 0,25	101 59 51 59
Обозначение вентилятора	Типоразмер двигателя	Производительность, м³/с	Полное давление, Па	Частота вращения РК, об/мин	Установочная мощность, кВт	Масса не более, кг
BO-13-284 6/20-6,3	AIP132M2 AIP80A4 AIP71A6 AIP71B8	6,0-8,6 2,9-4,1 1,8-2,7 1,3-1,9	965-685 225-160 95-65 48-34	2931 1419 908 655	11 1,1 0,37 0,25	138 63 59 59
BO-13-284 6/25-6,3	AIP132M2 AIP80B4 AIP71A6 AIP71B8	6,9-9,6 3,3-4,7 2,2-3,0 1,5-2,2	1060-860 250-200 102-82 53-43	2931 1413 908 655	11 1,5 0,37 0,25	138 65 59 59
BO-13-284 6/30-6,3	AIP90L4 AIP71B6 AIP71B8	3,8-5,2 2,4-3,3 1,7-2,4	275-245 110-98 58-52	1424 900 655	2,2 0,75 0,25	74 59 59
BO-13-284 8/10-6,3	AIP100L2 AIP71B4 AIP63A6 AIP71B8	0,8-6,3 0,4-3,0 0,3-1,9 0,2-1,4	1240-370 285-85 115-35 63-19	2898 1388 885 655	5,5 0,75 0,18 0,25	86 59 52 59
BO-13-284 8/15-6,3	AIP132M2 AIP80A4 AIP63B6 AIP71B8	0,6-7,7 0,3-3,7 0,2-2,3 0,1-1,7	1350-555 317-130 125-50 67-28	2931 1419 892 655	11 1,1 0,25 0,25	139 64 52 59
BO-13-284 8/20-6,3	AIP132M2 AIP80A4 AIP71A6 AIP71B8	6,3-8,8 3,1-4,3 1,9-2,7 1,4-2,0	1080-730 250-170 105-70 55-36	2931 1419 908 655	11 1,1 0,37 0,25	139 64 59 59
BO-13-284 8/25-6,3	AIP80B4 AIP71B6 AIP71B8	3,6-4,8 2,3-3,1 1,7-2,2	280-215 115-88 60-45	1413 900 655	1,5 0,55 0,25	66 59 59
BO-13-284 8/30-6,3	AIP90L4 AIP71B6 AIP71B8	4,1-5,4 2,6-3,4 1,9-2,5	320-270 130-100 69-58	1424 900 655	2,2 0,55 0,25	75 59 59

BO-13-284 10/15-6,3	AIP132M2 AIP80A4 AIP63B6 AIP71B8	3,7-7,7 1,8-3,7 1,1-2,3 0,8-1,7	1100-610 260-145 102-57 55-30	2831 1419 892 655	11 1,1 0,25 0,25	140 65 53 62
BO-13-284 10/20-6,3	AIP132M2 AIP80B4 AIP71A6 AIP71B8	6,3-8,8 3,1-4,2 2,0-2,7 1,4-2,0	1185-800 275-185 115-75 60-40	2931 1413 908 655	11 1,5 0,37 0,25	140 67 62 62
BO-13-284 10/25-6,3	AIP90L4 AIP71B6 AIP71B8	3,7-4,9 2,3-3,1 1,7-2,2	315-245 126-97 67-52	1424 900 655	2,2 0,55 0,25	76 62 62
BO-13-284 10/30-6,3	AIP90L4 AIP71B6 AIP71B8	4,1-5,4 2,6-3,4 1,9-2,5	355-300 140-120 75-64	1424 900 655	2,2 0,55 0,25	76 62 62
BO-13-284 12/15-6,3	AIP132M2 AIP80A4 AIP63B6 AIP71B8	3,7-7,7 1,8-3,7 1,1-2,3 0,8-1,7	1150-640 270-150 105-60 57-32	2931 1419 892 655	11 1,1 0,25 0,25	141 66 54 63
BO-13-284 12/20-6,3	AIP132M2 AIP80B4 AIP71A6 AIP71B8	6,4-8,8 3,1-4,2 1,9-2,7 1,4-2,0	1235-840 290-195 120-80 62-42	2931 1413 908 655	11 1,5 0,37 0,25	141 68 63 63
BO-13-284 12/25-6,3	AIP90L4 AIP71B6 AIP71B8	3,7-4,9 2,3-3,1 1,7-2,2	335-255 135-100 70-54	1424 900 655	2,2 0,55 0,25	77 63 63
BO-13-284 12/30-6,3	AIP90L4 AIP71B6 AIP80A6 AIP71B8	4,1-5,4 2,6-3,4 2,6-3,5 1,9-2,5	370-315 150-125 155-130 79-67	1424 900 916 655	2,2 0,55 0,75 0,25	77 63 66 63
Обозначение вентилятора	Типоразмер двигателя	Производительность, м³/с	Полное давление, Па	Частота вращения РК, об/мин	Установочная мощность, кВт	Масса не более, кг
BO-13-284 12к/15-6,3	AIP112M2 AIP71B4 AIP71A6	1,8-4,2 0,9-2,0 0,6-1,3	1675-250 380-55 160-24	2925 1388 908	7,5 0,75 0,37	104 63 63
BO-13-284 12к/ 25-6,3	AIP132M2 AIP80B4 AIP71A6	3,9-6,6 1,9-3,2 1,2-2,0	1680-670 390-155 162-65	2931 1413 908	11 1,5 0,37	141 68 63
BO-13-284 12к/ 30 -6,3	AIP160S2 AIP90L4 AIP71B6	4,8-7,9 2,3-3,8 1,5-2,4	1800-900 425-210 170-85	2937 1424 900	15 2,2 0,55	178 77 63
BO-13-284 12к/ 35 - 6,3	AIP160M2 AIP90L4 AIP71B6	5,7-8,8 2,8-4,3 1,8-2,7	2015-1240 474-290 190-116	2937 1424 900	18,5 2,2 0,55	193 77 63
BO-13-284 12к/ 40 - 6,3	AIP180S2 AIP100S4 AIP80A6	6,4-9,8 3,1-4,8 2,0-3,1	2115-1485 504-353 205-144	2940 1434 916	22 3,0 0,75	213 84 66
BO-13-284 12к/45-6,3	AIP180M2 AIP100L4 AIP80B6	7,6-10,8 3,7-5,3 2,4-3,4	2260-1810 533-427 220-177	2943 1430 920	30 4 1,1	233 90 68
BO-13-284 3/10-8	AIP132M2 AIP80B4 AIP71A6 AIP71B8	3,0-11,7 1,5-5,7 0,9-3,6 0,7-2,6	860-500 200-115 85-50 43-24	2931 1413 908 655	11 1,5 0,37 0,25	145 90 85 85

BO-13-284 3/15-8	AIP160S2 AIP80B4 AIP71A6 AIP71B8	2,3-13,5 1,1-6,5 0,7-4,1 0,5-3	945-650 220-150 90-60 50-32	2937 1413 908 655	15 1,5 0,37 0,25	210 87 85 85
BO-13-284 3/20-8	AIP160M2 AIP90L4 AIP71B6 AIP71B8	8,9-14,7 4,3-7,1 2,8-4,6 2,0-3,3	990-808 230-190 95-77 50-40	2937 1423 908 655	18,5 2,2 0,55 0,25	210 95 85 85
BO-13-284 3/25-8	AIP100S4 AIP80A6 AIP80A8	5,3-8,1 3,5-5,2 2,5-3,8	260-230 105-95 60-50	1434 916 682	3 0,75 0,37	105 85 85
BO-13-284 3/30-8	AIP100L4 AIP80B6 AIP80A8	7,3-8,5 4,6-5,5 3,5-4,1	267-260 110-105 62-58	1430 920 683	4 1,1 0,37	109 90 88
BO-13-284 4/10-8	AIP132M2 AIP80B4 AIP71A6 AIP71B8	0,7-11,8 0,4-5,7 0,2-3,6 0,2-2,6	1203-497 280-116 115-45 60-25	2931 1413 908 655	11 1,5 0,37 0,25	147 88 85 85
BO-13-284 4/15-8	AIP160M2 AIP90L4 AIP71B6 AIP71B8	2,0-14,4 1,0-7,0 0,6-4,4 0,5-3,2	1260-760 295-180 120-72 62-38	2937 1424 900 655	18,5 2,2 0,55 0,25	210 95 85 85
BO-13-284 4/20-8	AIP100S4 AIP80B6 AIP80A8	5,1-8,1 3,2-5,1 2,4-3,8	300-230 122-95 68-52	1434 916 683	3 0,75 0,37	105 90 88
BO-13-284 4/25-8	AIP100L4 AIP80B6 AIP80A8	6,3-8,8 4,1-5,6 3,0-4,2	320-275 133-114 73-62	1429 920 683	4 1,1 0,37	109 88 90
BO-13-284 4/30-8	AIP112M4 AIP90L6 AIP80B8	7,5-9,6 4,8-6,2 3,5-4,5	355-325 150-135 80-73	1445 936 683	5,5 1,5 0,55	125 96 88
BO-13-284 6/10-8	AIP160S2 AIP90L4 AIP71B6 AIP71B8	1,2-13,4 0,6-6,5 0,4-4,1 0,3-3,0	1680-645 395-150 160-60 84-32	2937 1424 900 655	15 2,2 0,55 0,25	212 97 86 86
BO-13-284 6/15-8	AIP100S4 AIP80A6 AIP80A8	0,9-7,7 0,6-4,9 0,4-3,7	415-210 170-85 95-50	1437 916 683	3 0,75 0,37	107 90 90
BO-13-284 6/20-8	AIP100L4 AIP80B6 AIP80A8	5,9-8,5 3,8-5,5 2,9-4,1	370-260 155-110 85-60	1430 920 683	4 1,1 0,37	111 94 90
Обозначение вентилятора	Типоразмер двигателя	Производительность, м³/с	Полное давление, Па	Частота вращения РК, об/мин	Установочная мощность, кВт	Масса не более, кг
BO-13-284 6/25-8	AIP112M4 AIP90L6 AIP80B8	7,0-9,7 4,5-6,3 3,3-4,6	417-340 175-140 95-75	1445 936 683	5,5 1,5 0,55	126 97 90
BO-13-284 6/30-8	AIP132S4 AIP100L6 AIP90LA8	8,1-10,8 5,3-7,0 3,9-5,2	465-415 197-175 110-97	1455 949 705	7,5 2,2 0,75	146 111 97
BO-13-284 8/10-8	AIP160M2 AIP90L4 AIP71B6 AIP71B8	1,6-13,1 0,8-6,3 0,5-4,1 0,4-2,9	2050-620 482-145 190-60 102-30	2937 1424 900 655	18,5 2,2 0,55 0,25	214 99 88 88

BO-13-284 8/15-8	AIP100S4 AIP80B6 AIP80A8	0,6-7,7 0,4-4,9 0,3-3,7	520-215 215-88 120-50	1434 920 683	3 1,1 0,37	107 95 90
BO-13-284 8/20-8	AIP100L4 AIP80B6 AIP80B8	6,3-8,8 4,1-5,6 3,0-4,2	415-280 170-115 95-63	1430 920 683	4 1,1 0,55	112 95 95
BO-13-284 8/25-8	AIP1112M4 AIP90L6 AIP90LA8	7,7-10,7 4,9-6,5 3,8-4,9	480-370 200-155 115-87	1455 936 705	5,5 1,5 0,75	127 99 99
BO-13-284 8/30-8	AIP132S4 AIP100L6 AIP90LB8	8,6-11,3 5,6-7,3 4,1-5,4	540-460 230-195 124-105	1455 949 697	7,5 2,2 1,1	148 112 99
BO-13-284 10/15-8	AIP100S4 AIP100L4 AIP80B6 AIP80B8	3,7-7,7 6,7-6,7 2,4-4,9 1,8-3,7	425-236 420-235 175-97 95-55	1434 1430 920 683	3 4 1,1 0,37	108 113 92 89
BO-13-284 10/20-8	AIP100L4 AIP80B6 AIP90L6 AIP80B8	6,3-8,8 4,1-5,7 4,1-5,8 3,0-4,2	455-310 195-130 190-130 105-70	1430 920 936 683	4 1,1 1,5 0,55	113 92 100 92
BO-13-284 10/25-8	AIP132S4 AIP90L6 AIP100L6 AIP90LA8	7,8-10,1 5,0-6,5 5,1-6,6 3,8-4,9	535-410 220-170 225-175 125-95	1455 936 949 705	7,5 1,5 2,2 2,2	149 100 113 100
BO-13-284 10/30-8	AIP132S4 AIP100L6 AIP90B8	8,6-11,2 5,6-7,3 4,1-5,4	595-505 255-215 135-115	1455 949 698	7,5 2,2 2,2	149 113 102
BO-13-284 12/15-8	AIP100S4 AIP100L4 AIP80B4 AIP80A8	6,5-8,9 3,7-7,7 2,4-4,9 1,8-3,7	345-245 440-245 185-100 100-56	1434 1430 920 683	3 4 1,1 0,37	110 115 94 91
BO-13-284 12/20-8	AIP112M4 AIP80B6 AIP90L6 AIP80B8	6,4-8,9 4,8-5,7 4,1-5,8 3,0-4,2	485-330 175-130 205-140 110-75	1445 920 936 683	5,5 1,1 1,5 0,55	129 94 102 91
BO-13-284 12/25-8	AIP132S4 AIP100L6 AIP90LA8	7,8-10,0 5,1-6,6 3,8-4,9	560-430 240-185 130-100	1455 949 705	7,5 2,2 0,75	166 115 102
BO-13-284 12/30-8	AIP132M4 AIP100L6 AIP90LB8	8,6-11,3 5,6-7,3 4,1-5,4	630-530 265-225 145-120	1458 949 698	1,1 2,2 1,1	166 115 102
BO-13-284 12к/15-8	AIP180S2 AIP100S4 AIP80A6	3,7-8,7 1,8-4,2 1,2-2,7	2730-410 650-100 265-40	2940 1434 916	22 3 0,75	238 110 91
BO-13-284 12к/ 25 - 8	5A200M2 AIP112M4 AIP90L6	8,1-13,5 4,0-6,6 2,6-4,3	2735-1095 660-265 275-110	2943 1445 936	37 5,5 1,5	320 129 102
BO-13-284 12к/30 -8	5A225M2 AIP112M4 AIP90L6	9,9-16,1 4,9-7,9 3,2-5,2	2920-1460 700-350 295-148	2946 1445 936	55 5,5 1,5	430 129 102
BO-13-284 12к/ 35 - 8	AIP132S4 AIP100L6	5,8-8,9 3,8-5,8	800-490 340-209	1455 949	7,5 2,2	150 115
Обозначение вентилятора	Типоразмер двигателя	Производительность, м³/с	Полное давление, Па	Частота вращения РК, об/мин	Установочная мощность, кВт	Масса не более, кг

BO-13-284 12к/ 40- 8	AIP132M4 AIP112A6	6,5-10,0 4,2-6,6	842-590 360-253	1458 955	11 3,0	166 129
BO-13-284 12к/45-8	AIP132M4 AIP112MB6	7,7-11,0 5,0-7,2	895-716 380-303	1458 949	11 4	166 129
BO-13-284 3/10-10	AIP100S4 AIP80B6 AIP80A8	2,9-11,2 1,9-7,2 1,4-5,3	320-185 132-77 73-42	1430 920 683	3 1,1 0,37	181 170 167
BO-13-284 3/15-10	AIP112M4 AIP90L6 AIP80B8	2,2-13,0 1,4-8,4 1,1-6,3	360-250 150-105 85-58	1445 936 693	5,5 1,5 0,55	201 177 170
BO-13-284 3/20-10	AIP132S4 AIP100L6 AIP90LA8	8,6-14,2 5,6-9,3 4,2-6,9	380-310 162-132 89-70	1455 949 705	7,5 2,2 0,75	224 187 177
BO-13-284 3/25-10	AIP132M4 AIP112MA6 AIP90LB8	10,5-16,0 6,9-10,5 5,4-7,7	420-370 180-150 95-85	1458 953 698	11 3 1,1	229 201 177
BO-13-284 3/30-10	AIP132M4 AIP112MA6 AIP90LB8	14,4-17,1 9,4-11,1 6,9-8,2	435-420 185-180 100-95	1458 953 698	11 3 1,1	239 201 177
BO-13-284 4/10-10	AIP100L4 AIP90L6 AIP80B8	0,7-11,2 0,5-7,4 0,3-5,4	450-185 192-79 102-42	1430 936 683	4 1,5 0,55	188 177 170
BO-13-284 4/15-10	AIP132S4 AIP100L6 AIP90LA8	2,0-13,9 1,3-9,1 1,0-6,7	485-290 206-120 113-70	1455 949 705	7,5 2,2 0,75	224 188 169
BO-13-284 4/20-10	AIP132M4 AIP112MA6 AIP90LB8	10,2-16,0 6,6-10,4 4,9-7,6	483-370 205-155 110-85	1458 953 698	11 3 1,1	239 201 177
BO-13-284 4/25-10	AIP132M4 AIP112MA6 AIP100L8	12,6-17,5 8,2-11,4 6,0-8,3	520-445 225-190 120-100	1458 953 698	11 3 1,5	239 201 188
BO-13-284 4/30-10	B160S4 AIP112MB6 AIP100L8	14,8-18,9 9,5-12,3 7,0-9,0	570-525 240-220 130-120	1466 949 698	15 4 1,5	282 201 188
BO-13-284 6/10-10	AIP112M4 AIP90L6 AIP90LA8	1,1-12,8 0,7-8,8 0,6-6,3	635-240 265-100 150-60	1445 935 705	5,5 1,5 0,75	202 170 178
BO-13-284 6/15-10	AIP132M4 AIP100L6 AIP90LB8	1,8-15,2 1,2-9,9 0,9-7,3	670-340 285-145 153-75	1458 949 698	11 2,2 1,1	210 189 178
BO-13-284 6/20-10	AIP132M4 AIP112MA6 AIP100L8	11,8-17,0 7,8-11,1 5,7-8,1	605-425 257-180 137-97	1458 953 698	11 3 1,5	240 202 189
BO-13-284 6/25-10	AIP160S4 AIP112MB6 AIP112MA8	13,9-19,2 8,9-12,5 6,7-9,3	670-540 282-225 155-125	1466 949 705	15 4 2,2	283 202 202
BO-13-284 6/30-10	AIP160M4 AIP132S6 AIP112MA8	15,9-21,2 10,5-14,0 7,6-10,2	735-655 320-286 170-150	1467 967 705	18,5 5,5 2,2	307 225 202
BO-13-284 8/10-10	AIP132S4 AIP100L6 AIP90LA8	1,6-12,6 1,1-8,23 0,8-6,1	790-235 335-100 185-65	1455 949 705	7,5 2,2 0,75	225 190 171
BO-13-284 8/15-10	AIP132M4 AIP112MA6 AIP90LB8	1,2-15,3 0,8-10,0 0,6-7,3	843-345 360-150 193-80	1458 953 698	11 3 1,1	240 203 179

BO-13-284 8/20-10	AIP160S4 AIP112MB6 AIP100L8	12,6-17,6 8,2-11,4 6,0-8,4	680-460 285-190 155-105	1465 949 698	15 4 1,5	308 203 190
BO-13-284 8/25-10	5A160M4 AIP132S6 AIP112MA8	15,3-20,0 10,1-13,2 7,4-9,6	770-590 335-257 180-137	1467 967 705	18,5 5,5 2,2	308 226 203
Обозначение вентилятора	Типоразмер двигателя	Производительность, м³/с	Полное давление, Па	Частота вращения РК, об/мин	Установочная мощность, кВт	Масса не более, кг
BO-13-284 8/30-10	AIP180S4 AIP132M6 AIP112MB8	16,9-22,2 11,5-14,6 8,1-10,7	860-730 375-318 200-170	1470 968 706	22 7,5 3	325 241 203
BO-13-284 10/15-10	AIP132M4 AIP112MA6 AIP90LB8 AIP100L8	7,4-15,3 4,8-10,0 3,5-7,3 3,5-7,3	685-380 290-160 157-87 157-87	1458 953 698 698	11 3 1,1 1,5	241 204 179 191
BO-13-284 10/20-10	AIP160S4 AIP112MB6 AIP100L8	12,7-17,7 8,2-11,4 6,0-8,4	745-505 315-210 170-115	1466 949 698	15 4 1,5	284 204 191
BO-13-284 10/25-10	AIP160M4 AIP132S6 AIP112MA8	15,3-20,0 10,1-13,2 7,3-9,6	845-650 370-285 195-150	1467 967 705	18,5 5,5 2,2	309 226 204
BO-13-284 10/30-10	AIP180M4 AIP132M6 AIP112MB8	16,9-22,2 11,2-14,6 8,1-10,7	950-805 410-350 220-185	1472 968 707	30 7,5 3	344 242 204
BO-13-284 12/15-10	AIP132M4 AIP112MA6 AIP90LB8 AIP100L8	7,4-15,5 4,8-10,0 4,9-7,3 4,9-7,3	715-400 305-170 165-90 165-90	1458 953 698 698	11 3 1,1 1,5	243 205 180 192
BO-13-284 12/20-10	AIP160S4 AIP112MB6 AIP100L8	12,7-17,6 8,2-11,4 5,9-8,4	780-530 330-220 175-120	1466 949 698	15 4 1,5	285 105 192
BO-13-284 12/25-10	AIP180S4 AIP132S6 AIP112MA8	15,3-20,0 10,2-13,6 7,3-9,6	890-685 385-295 205-160	1470 967 705	22 5,5 2,2	345 227 205
BO-13-284 12/30-10	AIP180M4 AIP132M6 AIP112MB8	17,0-22,2 11,2-14,6 8,1-10,7	1000-850 435-365 230-195	1472 968 707	30 7,5 3	345 243 205
BO-13-284 12к/15-10	AIP132M4 AIP100L6 AIP100L8	3,6-8,4 2,3-5,4 1,7-4,0	1050-157 445-67 240-35	1458 949 698	11 2,2 1,5	243 192 192
BO-13-284 12к/ 25- 10	AIP160S4 AIP112M6 AIP100L8	7,8-13,1 5,1-8,5 3,7-6,2	1060-420 445-180 240-96	1466 949 698	15 4 1,5	285 205 192
BO-13-284 12к/ 30-10	AIP160M4 AIP132S6 AIP112MA8	9,6-15,7 6,4-10,3 4,6-7,5	1130-565 490-245 260-130	1467 967 705	18,5 5,5 2,2	310 227 205
BO-13-284 12к/35-10	AIP180M4 AIP132M6 AIP112MB8	11,5-17,6 7,6-11,5 5,5-8,4	1275-785 550-340 293-180	1472 968 707	30 7,5 3	345 243 205
BO-13-284 12к/ 40-10	AIP180M4 AIP160S6 AIP132S8	12,7-19,7 8,4-13,0 6,2-9,6	1335-937 586-410 320-224	1472 975 719	30 11 4	345 285 227

BO-13-284 12к/45-10	5A200M4 AIP160S6 AIPM132S8	15,2-21,7 10,0-14,3 7,4-10,6	1430-1145 623-500 340-270	1475 973 719	37 11 4	420 285 227
BO-13-284 3/10-12,5	AIP132M4 AIP112M6 AIP100L8	6,9-22,2 4,0-14,5 2,7-10,6	520-300 220-130 120-70	1458 953 698	11 3 1,5	284 250 237
BO-13-284 3/15-12,5	AIP160S4 AIP112M6 AIP112MA8	8,0-25,7 2,8-16,6 2,1-12,3	550-400 240-166 133-90	1466 949 705	15 4 2,2	235 250 250
BO-13-284 3/20-12,5	AIP160M4 AIP132S6 AIP112MA8	17,0-28,0 11,2-18,5 8,2-13,5	605-490 265-210 140-110	1467 967 705	18,5 5,5 2,2	350 268 250
BO-13-284 3/25-12,5	AIP180M4 AIP132M6 AIP112MB8	20,8-31,5 13,7-20,8 9,8-15,1	665-595 290-255 155-137	1472 968 706	30 7,5 3	385 284 250
BO-13-284 3/30-12,5	AIP180M4 AIP160S6 AIP132S8	28,5-33,6 18,8-22,2 13,9-16,4	690-620 305-290 165-160	1472 973 719	30 11 4	385 325 268
Обозначение вентилятора	Типоразмер двигателя	Производительность, м³/с	Полное давление, Па	Частота вращения РК, об/мин	Установочная мощность, кВт	Масса не более, кг
BO-13-284 4/10-12,5	AIP132M4 AIP112MB6 AIP100L8	1,4-22,4 0,9-14,6 0,7-10,7	730-300 310-125 165-70	1458 949 698	11 4 1,5	284 251 237
BO-13-284 4/15-12,5	AIP160M4 AIP132S6 AIP112MA8	3,9-27,5 2,6-18,1 1,9-13,2	770-465 345-200 180-105	1467 967 705	18,5 5,5 2,2	350 268 251
BO-13-284 4/20-12,5	AIP180M4 AIP132M6 AIP112BM8	20,1-31,4 13,2-20,7 9,6-15,1	770-590 332-255 180-135	1472 968 707	30 7,5 3	385 284 251
BO-13-284 4/25-12,5	5A200M4 AIP160S6 AIP132S8	24,9-34,5 16,4-22,7 12,1-16,8	830-715 365-310 200-170	1475 973 719	37 11 4	460 325 268
BO-13-284 4/30-12,5	5A200L4 AIP160M6 AIP132M8	29,0-37,2 19,2-24,6 14,5-18,1	900-835 395-360 215-195	1476 974 719	45 15 5,5	500 350 284
BO-13-284 6/10-12,5	AIP160M4 AIP132S6 AIP112MA8	2,2-25,5 1,5-16,8 1,1-12,2	1220-390 445-170 235-90	1467 967 705	18,5 5,5 2,2	352 269 251
BO-13-284 6/15-12,5	AIP180M4 AIP132M6 AIP112MB8	3,5-29,9 2,3-19,7 1,7-14,4	1060-540 460-230 245-120	1472 968 707	30 7,5 3	387 285 252
BO-13-284 6/20-12,5	5A200M4 AIP160S6 AIP132S8	23,5-33,6 15,5-22,2 11,3-16,4	960-680 420-290 230-160	1475 973 719	37 11 4	462 327 269
BO-13-284 6/25-12,5	5A200L4 AIP160M6 AIP132M8	27,3-37,8 18,0-25,0 13,3-18,4	1065-860 465-375 250-205	1476 974 719	45 15 5,5	502 235 285
BO-13-284 6/30-12,5	5A250S4 AIP180M6 AIP160S8	31,1-41,8 20,5-27,5 15,4-20,7	1170-1050 505-450 285-255	1482 973 731	75 18,5 7,5	682 387 327
BO-13-284 8/10-12,5	AIP180S4 AIP132S6 AIP112MA8	3,2-24,9 2,1-16,4 1,5-12,0	1255-380 540-165 290-85	1470 967 705	22 5,5 2,2	370 270 286

BO-13-284 8/15-12,5	AIP180M4 AIP160S6 AIP132S8	2,4-30,1 1,6-19,9 1,2-14,7	1340-550 586-240 320-130	1472 973 719	30 11 4	388 328 270
BO-13-284 8/20-12,5	5A200L4 AIP160S6 AIP132M8	24,9-34,6 16,4-22,8 12,1-16,9	1075-730 470-357 255-170	1476 973 719	45 11 5,5	503 328 286
BO-13-284 8/25-12,5	5A225M4 AIP160M6 AIP160S8	30,1-39,3 19,8-25,9 14,9-19,4	1280-940 530-405 300-230	1479 974 731	55 15 7,5	548 353 328
BO-13-284 8/30-12,5	5A250S4 5A200M6 AIP160M8	33,3-43,7 22,0-28,8 16,4-21,6	1370-1160 600-505 334-280	1482 977 731	75 22 11	683 463 353
BO-13-284 10/15-12,5	AIP180M4 5A200M4 AIP160S6 AIP132S8	14,5-30,2 14,6-30,2 9,6-19,9 7,1-14,7	1090-605 1095-610 975-265 260-145	1472 1475 973 719	30 37 11 4	489 464 329 271
BO-13-284 10/20-12,5	5A200L4 AIP160M6 AIP132M8	24,9-34,6 16,4-22,8 12,1-16,9	1180-800 515-348 280-190	1476 973 719	45 15 5,5	504 354 287
BO-13-284 10/25-12,5	5A225M4 5A250S4 AIP180M6 AIP160S8	34,5-39,3 30,1-39,4 19,8-25,9 14,9-19,4	1335-1035 1350-1040 580-450 330-250	1479 1482 973 731	55 75 18,5 7,5	549 684 389 329
BO-13-284 10/30-12,5	5A250S4 5A200M6 AIP160M8	33,3-43,7 22,0-28,8 16,4-21,6	1505-1280 655-555 370-310	1482 977 731	75 22 11	684 464 354
Обозначение вентилятора	Типоразмер двигателя	Производительность, м³/с	Полное давление, Па	Частота вращения РК, об/мин	Установочная мощность, кВт	Масса не более, кг
BO-13-284 12/15-12,5	5A200M4 AIP160S6 AIP132S8	14,6-30,2 9,6-19,9 7,1-14,7	1145-635 500-275 270-150	1475 973 719	37 11 4	465 330 272
BO-13-284 12/20-12,5	5A200L4 AIP160M6 AIP132M8	24,9-34,6 16,4-22,8 12,1-16,9	1240-840 540-365 295-200	1476 974 719	45 15 5,5	505 355 288
BO-13-284 12/25-12,5	5A250S4 AIP180M6 AIP160S8	30,1-39,4 19,8-25,9 14,9-19,4	1415-1090 610-470 345-265	1482 973 731	75 18,5 7,5	685 390 330
BO-13-284 12/30-12,5	5A250M4 5A200M6 AIP160M8	33,3-43,7 22,0-28,8 16,4-21,6	1585-1340 690-585 385-325	1481 977 731	90 22 11	730 465 355
BO-13-284 12к/ 15 -12,5	AIP180M4 AIP132M6 AIPM132S8	7,1-16,5 4,7-10,9 3,4-8,1	1670-250 720-110 400-60	1472 968 719	30 7,5 4	390 288 272
BO-13-284 12к/ 25 -12,5	5A200L4 AIP160M6 AIP132M8	15,4-25,8 10,2-17,0 7,5-12,6	1680-670 730-290 400-160	1476 975 719	45 15 5,5	505 355 288
BO-13-284 12к/ 30 -12,5	5A225M4 AIP180M6 AIP160S8	19,0-30,9 12,5-20,4 9,38-15,2	1800-900 780-390 440-220	1479 973 730	55 18,5 7,5	550 390 330
BO-13-284 12к/ 35 -12,5	5A250S4 5A200M6 AIP160M8	22,6-43,5 15,0-22,8 11,1-17,0	2020-1240 885-540 490-300	1482 980 730	75 22 11	685 465 355

BO-13-284 12к/ 40 -12,5	5A250M4 5A200L6 AIP160M8	24,9-38,7 16,5-25,6 12,3-19,1	2115-1480 925-650 515-360	1481 979 731	90 30 11	730 505 355
BO-13-284 12к/ 45 -12,5	5A280S4 5A225M6 AIP180M8	29,4-42,2 19,7-28,2 14,7-21,0	2210-1765 990-790 550-440	1466 982 730	110 37 15	980 550 465
BO-13-284 3/10-16	AIP160S6 AIP132S8	8,0-31,1 5,9-23,0	380-220 205-120	973 719	11 4	465 410
BO-13-284 3/15-16	AIP160M6 AIP160S8	6,1-36 4,6-26,8	415-290 235-160	974 731	15 7,5	490 465
BO-13-284 3/20-16	AIP180M6 AIP160M8	23,7-39,0 17,8-29,3	435-350 250-200	973 731	18,5 11	525 490
BO-13-284 3/25-16	5A200L6 AIP160M8	29,0-44,0 21,6-32,9	480-430 270-240	979 731	30 11	685 490
BO-13-284 3/30-16	5A200L6 AIP180M8	39,7-46,8 29,6-34,9	500-480 280-270	979 731	30 15	685 525
BO-13-284 4/10-16	AIP160S6 AIP132M8	2,0-31,3 1,5-23	530-220 290-120	973 719	11 5,5	465 425
BO-13-284 4/15-16	AIP180M6 AIP160M8	5,4-38,2 4,1-28,7	557-335 315-185	973 731	18,5 11	525 490
BO-13-284 4/20-16	5A200L6 AIP160M8	28,0-43,9 20,9-32,7	560-430 310-230	979 731	30 11	685 490
BO-13-284 4/25-16	5A225M6 AIP180M8	34,7-48,0 25,8-35,8	605-520 334-285	982 730	30 15	685 525
BO-13-284 4/30-16	5A250S6 5A200M8	40,7-52,2 30,2-38,7	660-610 365-340	986 733	45 18,5	820 600
BO-13-284 6/10-16	AIP180M6 AIP160S8	3,1-35,4 2,3-26,6	740-280 415-160	973 731	18,5 7,5	525 465
BO-13-284 6/15-16	5A200L6 AIP160M8	5,0-41,7 3,7-31,2	770-390 430-220	979 731	30 11	685 490
BO-13-284 6/20-16	5AM225M6 AIP180M8	32,8-47,0 24,4-34,9	700-485 390-270	982 731	37 15	685 525
BO-13-284 6/25-16	5A250S6 5A200M8	38,2-53,0 28,4-39,3	780-630 430-350	986 732	45 18,5	820 600
BO-13-284 6/30-16	5A280S6 5A225M8	43,4-58,1 32,6-43,7	840-750 475-420	980 737	75 30	1120 685
Обозначение вентилятора	Типоразмер двигателя	Производительность, м³/с	Полное давление, Па	Частота вращения РК, об/мин	Установочная мощность, кВт	Масса не более, кг
BO-13-284 8/10-16	5A200M6 AIP160M8	4,4-34,7 3,3-26,0	910-270 510-155	977 731	22 11	600 490
BO-13-284 8/15-16	5A200L6 AIP180M8	3,3-42,1 2,5-31,4	970-400 540-220	979 730	30 15	685 525
BO-13-284 8/20-16	5A250S6 5A200M8	34,9-48,6 25,9-35,9	790-530 430-295	986 733	45 18,5	820 600
BO-13-284 8/25-16	5A250M6 5A200L8	42,0-55,0 31,0-41,0	890-680 490-370	987 730	55 22	865 685
BO-13-284 8/30-16	5A280S6 5A225M8	46,2-60,6 34,8-45,6	980-830 555-470	980 737	75 30	1120 685

BO-13-284 10/15-16	5A200L6 5A225M6 AMP180M8	20,3-42,1 20,4-42,2 15,1-31,4	790-440 795-445 440-245	979 982 731	30 37 15	685 685 525
BO-13-284 10/20-16	5A250S6 5A200M8	34,9-48,5 25,9-35,1	865-585 475-325	986 733	45 18,5	820 600
BO-13-284 10/25-16	5A280S6 5A225M8 5A250S10	41,8-54,6 31,4-41,1 25,1-32,8	970-745 545-420 350-270	980 737 589	75 30 30	1120 685 820
BO-13-284 10/30-16	5A 280S6 5A225M8 5A250S8	46,2-60,6 34,8-45,6 34,8-45,6	1080-920 610-520 610-520	980 737 738	75 30 37	1120 685 820
BO-13-284 12/15-16	5A200L6 5A225M6 AMP180M8	35,6-42,1 20,4-42,2 15,2-31,4	640-460 830-460 460-255	979 982 731	30 37 15	685 685 525
BO-13-284 12/20-16	5A250S6 5A200M8	34,9-48,5 14,1-36,1	905-615 500-340	986 733	45 18,5	820 600
BO-13-284 12/25-16	5A280S6 5A225M8 5A250S10	41,8-54,6 31,4-41,1 25,1-32,8	1015-780 575-440 365-280	980 737 589	75 30 30	1120 685 820
BO-13-284 12/30-16	5A280M6 5A250S8 5A250S10	46,2-60,6 34,8-45,6 27,8-36,4	1135-960 645-545 410-347	980 738 589	90 37 30	1170 820 820
BO-13-284 12к/15-16	5A200L6 AMP180M8	9,9-23,1 7,4-17,2	1210-180 673-100	979 730	30 15	685 525
BO-13-284 12к/ 25 -16	5A250S6 5A200L8	21,6-36,1 16,1-26,9	1225-490 680-270	986 733	45 18,5	820 685
BO-13-284 12к/ 30 -16	5A250M6 5A225M8	33,2-43,1 19,8-32,2	1305-655 880-365	985 735	55 30	865 685
BO-13-284 12к/ 35 -16	5A280S6 AM250S8	31,4-47,9 23,7-36,2	1450-890 825-505	980 738	75 37	1120 820
BO-13-284 12к/ 40 -16	5A280M6 5A250M8	34,7-53,6 26,2-40,5	1515-1065 865-605	980 740	90 45	1170 865
BO-13-284 12к/45-16	5A315S6 5A280S8 5A250S10	41,3-59,1 30,9-44,3 24,8-35,5	1615-1295 908-724 585-418	980 734 589	110 55 30	1210 1120 820
BO-13-284 3/10-20	AMP180M8	11,8-45,6	330-190	731	15	685
BO-13-284 3/15-20	5A200L8	8,9-52,4	365-250	730	22	800
BO-13-284 3/20-20	5A225M8	35,3-57,7	320-318	737	30	845
BO-13-284 3/25-20	5A250S8	42,7-64,6	430-380	738	37	980
BO-13-284 3/30-20	5A250M8	58,6-69,1	446-430	740	45	1025
BO-13-284 4/10-20	5A180M8	2,9-45,9	470-190	731	15	685
BO-13-284 4/15-20	5A225M8	8,0-56,5	500-300	737	30	845
BO-13-284 4/20-20	5A250S8	41,1-64,3	490-370	738	37	980

Обозначение вентилятора	Типоразмер двигателя	Производительность, м ³ /с	Полное давление, Па	Частота вращения РК, об/мин	Установочная мощность, кВт	Масса не более, кг
BO-13-284 4/25-20	5A250M8	51,1-70,8	535-455	738	45	1025
BO-13-284 4/30-20	5A280S8	59,6-76,3	570-530	734	55	1365
BO-13-284 6/10-20	5A200L8	4,6-51,9	650-259	730	22	800
BO-13-284 6/15-20	5A250S8	7,3-61,2	680-345	735	37	980
BO-13-284 6/20-20	5AM250M8 4A250S10Y3	48,2-69,0 38,4-55,0	620-435 390-280	740 589	45 30	1025 980
BO-13-284 6/25-20	5AM280M8 4A250M10	55,4-77,0 44,4-61,5	675-545 430-350	734 589	75 37	1325 1025
BO-13-284 6/30-20	4A280M8Y3 4A280M10Y3	63,5-85,0 50,8-68,1	740-660 470-420	734 588	75 45	1325 1325
BO-13-284 8/10-20	5A225M8	6,6-51,6	810-240	737	30	845
BO-13-284 8/15-20	5AM250M8	4,9-62	865-355	740	45	1025
BO-13-284 8/20-20	5AM280S8 4A250S10Y3	50,9-70,9 40,7-56,6	690-465 440-295	734 589	55 30	1845 980
BO-13-284 8/25-20	5AM280M8 4A280S10Y3	61,1-79,9 50,0-64,0	770-600 500-380	734 588	75 37	1325 1365
BO-13-284 8/30-20	4A315S8Y3 4A315S10Y3	67,7-88,7 54,4-71,2	860-730 556-470	735 588	90 55	1380 1380
BO-13-284 10/15-20	5A250M8 5A250S10	29,9-62,1 23,8-49,4	705-390 455-250	740 589	45 30	1025 980
BO-13-284 10/20-20	5A 280S8 5A250S10	50,7-70,5 40,7-56,6	750-505 480-325	734 589	55 30	1365 1025
BO-13-284 10/25-20	5A 280M8 5A280M10	61,1-80,0 48,9-63,0	850-650 545-420	734 588	75 45	1325 1375
BO-13-284 10/30-20	4A 315S8 4A315S10	67,7-88,7 54,1-70,1	950-805 605-515	735 588	90 55	1380 1600
BO-13-284 12/15-20	5A250M8 5A250S10	29,9-62,1 23,8-49,4	740-410 470-260	740 589	45 30	1025 980
BO-13-284 12/20-20	5A280S8 5A250S10	51,0-70,5 22,1-56,6	780-530 490-340	734 589	55 30	1365 980
BO-13-284 12/25-20	5A280M8 4A315S8 5A280M10	62,0-79,9 61,1-79,9 49,0-64,1	885-685 890-685 570-440	734 735 588	75 90 45	1325 1380 1325
BO-13-284 12/30-20	4A315M8 4A315S10	67,7-88,7 54,2-71,0	1000-845 640-540	735 588	110 55	1600 1380
BO-13-284 12к/15-20	5AM250S8	14,6-34,0	1075-160	738	37	980
BO-13-284 12к/25-20	5A280M8 5A250S10	31,7-53,0 25,2-42,1	1080-430 685-274	740 589	75 30	1325 980
BO-13-284 12к/30-20	5A280M8 5A250M10	38,6-63,3 31,0-50,4	1200-570 730-365	734 589	75 37	1325 1025

BO-13-284 12к/35-20	4A315M8 5A315S10	46,0-70,1 36,8-56,1	1270-780 815-500	735 588	110 55	1600 1380
BO-13-284 12к/40-20	5A315M8 5A315M10	50,8-78,6 40,6-62,9	1330-935 853-600	735 588	110 75	1600 1600
BO-13-284 12к/45-20	5A355M8 5A315M10 5A315S12	60,5-86,6 48,4-69,3 40,1-57,5	1420-1140 910-730 625-500	735 588 488	160 75 45	2060 1600 1380
Обозначение вентилятора	Типоразмер двигателя	Производительность, м³/с	Полное давление, Па	Частота вращения РК, об/мин	Установочная мощность, кВт	Масса не более, кг
BO-13-284 12к/15- CA -4	AIP71A2 AIP56A4 AIP63A6	0,45-1,02 0,22-0,50 0,14-0,32	670-105 160-25 66-10	2823 1380 885	0,75 0,12 0,18	33 23 25
BO-13-284 12к/17- CA -4	AIP71A2 AIP56A4 AIP63A6	0,49-1,12 0,24-0,55 0,15-0,35	672-105 160-25 66-10	2823 1370 885	0,75 0,12 0,18	33 23 25
BO-13-284 12к/20- CA -4	AIP71B2 AIP56A4 AIP63A6	0,60-1,37 0,29-0,67 0,19-0,43	665-104 160-25 66-10	2811 1380 885	1,1 0,12 0,18	33 23 25
BO-13-284 12к/25- CA -4	AIP71B2 AIP56A4 AIP63A6	0,96-1,63 0,47-0,8 0,30-0,51	707-250 170-60 70-25	2811 1380 885	1,1 0,12 0,18	33 23 25
BO-13-284 12к/30- CA -4	AIP80A2 AIP56B4 AIP63A6	1,51-1,97 0,58-0,94 0,37-0,61	782-350 178-80 74-33	2874 1370 885	1,5 0,25 0,18	36 23 25
BO-13-284 12к/35- CA -4	AIP80B2 AIP63A4 AIP63A6	1,44-2,24 0,69-1,08 0,44-0,69	880-477 203-110 84-45	2871 1380 885	2,2 0,25 0,18	38 25 25
BO-13-284 12к/40- CA -4	AIP80B2 AIP63A4 AIP63A6	1,59-2,49 0,76-1,20 0,49-0,77	945-585 218-135 90-56	2871 1380 885	2,2 0,25 0,18	38 25 25
BO-13-284 12к/45- CA -4	AIP90L2 AIP63B4 AIP63A6	1,81-2,76 0,79-1,31 0,56-0,85	1000-715 211-162 95-68	2871 1365 885	3 0,37 0,18	48 25 25
BO-13-284 12к/15- CA -5	AIP80B2 AIP63A4 AIP63A6	0,89-2,02 0,43-0,97 0,27-0,62	1085-170 250-40 103-16	2871 1380 885	2,2 0,25 0,18	50 37 37
BO-13-284 12к/17- CA -5	AIP80B2 AIP63A4 AIP63A6	0,97-2,22 0,47-1,07 0,3-0,69	1085-169 250-40 103-16	2871 1380 885	2,2 0,25 0,18	50 37 37
BO-13-284 12к/20- CA -5	AIP90L2 AIP63B4 AIP63A6	1,19-2,73 0,57-1,3 0,37-0,84	1085-170 245-38 103-16	2871 1365 885	3 0,37 0,18	60 37 37
BO-13-284 12к/25- CA -5	AIP100S2 AIP71MA4 AIP63A6	1,94-3,28 0,93-1,57 0,59-1,00	1177-415 270-95 110-38	2901 1391 885	4 0,55 0,18	66 46 37
BO-13-284 12к/30- CA -5	AIP100L2 AIP71MA4 AIP63A6	2,38-3,87 1,14-1,86 0,73-1,18	1240-550 286-127 116-52	2898 1391 885	5,5 0,55 0,18	73 46 47
BO-13-284 12к/35- CA -5	AIP112M2 AIP71MB4 AIP63A6	2,86-4,47 1,36-2,12 0,86-1,35	1425-775 320-175 130-70	2925 1388 885	7,5 0,75 0,18	87 46 37

BO-13-284 12к/40- CA -5	AIP112M2 AIP80A4 AIP63B6	3,16-4,96 1,53-2,41 0,96-1,51	1530-950 360-223 142-88	2925 1419 892	7,5 1,1 0,25	87 48 37
BO-13-284 12к/45- CA -5	AIP132M2 AIP80A4 AIP63B6	3,62-5,50 1,74-2,66 1,10-1,67	1625-1165 381-274 150-108	2931 1419 892	11 1,1 0,25	105 48 37
BO-13-284 12к/15- CA – 6,3	AIP112M2 AIP71MB4 AIP71A6	1,8-4,1 0,9-1,9 0,6-1,3	1790-280 405-63 170-27	2925 1388 908	7,5 0,75 0,37	110 70 70
BO-13-284 12к/17- CA – 6,3	AIP112M2 AIP80A4 AIP71A6	2,0-4,5 0,9-2,2 0,6-1,4	1787-280 421-66 172-27	2925 1419 908	7,5 1,1 0,37	110 73 70
BO-13-284 12к/20- CA – 6,3	AIP132M2 AIP80A4 AIP71A6	2,4-5,6 1,2-2,7 0,8-1,7	1795-280 420-66 173-27	2931 1419 908	11 1,1 0,37	150 73 70
BO-13-284 12к/25- CA – 6,3	AIP160S2 AIP80B4 AIP71A6	3,9-6,6 1,9-3,2 1,2-2,1	1915-675 444-156 184-65	2937 1413 908	15 1,5 0,37	185 75 70
BO-13-284 12к/30- CA – 6,3	AIP160S2 AIP90L4 AIP71B6	4,8-7,9 2,3-3,8 1,5-2,4	2030-900 477-211 190-85	2937 1424 900	15 2,2 0,55	185 85 70
Обозначение вентилятора	Типоразмер двигателя	Производительность, м³/с	Полное давление, Па	Частота вращения РК, об/мин	Установочная мощность, кВт	Масса не более, кг
BO-13-284 12к/35- CA – 6,3	AIP160M2 AIP90L4 AIP71B6	5,7-8,9 2,8-4,4 1,8-2,8	2280-1240 537-290 214-116	2937 1424 900	18,5 2,2 0,55	200 85 70
BO-13-284 12к/40- CA – 6,3	AIP180S2 AIP100S4 AIP80A6 AIP80A8	6,3-10,0 3,1-4,9 1, 9-3,1 1,5-2,3	2450-1520 585-360 240-150 132-82	2940 1434 916 683	22 3 0,75 0,37	220 91 73 73
BO-13-284 12к/45- CA – 6,3	AIP180M2 AIP100L4 AIP100S4 AIP80B6 AIP80A8	7,3-11,1 3,5-5,4 3,5-5,4 2,1-3,5 1,7-2,6	2600-1865 615-440 615-440 254-182 140-100	2943 1430 1434 920 683	30 4 3 1,1 0,37	240 98 91 75 73
BO-13-284 12к/15- CA –8	AIP180S2 AIP100S4 AIP80A6 AIP80A8	3,7-8,5 1,8-4,1 1,2-2,6 0,9-2,0	2910-455 684-108 282-44 158-25	2940 1434 916 683	22 3 0,75 0,37	245 116 98 98
BO-13-284 12к/17- CA –8	AIP180M2 AIP100S4 AIP80A6 AIP80A8	4,1-9,3 1,9-4,6 1,3-2,9 0,9-2,2	2918-456 694-108 282-44 158-25	2943 1434 916 683	30 3 0,75 0,37	265 116 98 98
BO-13-284 12к/20- CA –8	AIP180M2 AIP100L4 AIP80B6 AIP80A8	5,0-11,5 2,4-5,6 1,6-3,6 1,2-2,7	2918-455 690-108 285-45 158-25	2943 1434 920 683	30 4 1,1 0,37	265 123 100 98
BO-13-284 12к/25- CA –8	5A200M2 AIP112M4 AIP90L6 AIP80B8	8,1-13,6 4,0-6,7 2,6-4,3 1,9-3,2	3100-1095 760-270 313-110 170-60	2943 1445 936 685	37 5,5 1,5 0,55	335 136 110 100
BO-13-284 12к/30- CA –8	5A225M2 AIP132S4 AIP100L6 AIP90LA8	9,9-16,1 4,9-7,9 3,2-5,2 2,4-3,9	3290-1460 802-355 340-150 188-84	2946 1455 949 705	55 7,5 2,2 0,75	435 158 123 110

BO-13-284 12к/35- CA –8	AIPM132S4 AIP100L6 AIP90LB8	5,8-9,1 3,8-5,9 2,8-4,4	903-490 385-209 208-113	1455 949 698	7,5 2,2 1,1	158 123 110
BO-13-284 12к/40- CA –8	AIP132M4 AIP112MA6 AIP90LB8	6,5-10,1 4,2-6,6 3,1-4,9	970-600 415-260 224-139	1458 953 698	11 3 1,1	173 136 110
BO-13-284 12к/45- CA –8	AIP132M4 AIP112MA6 AIP100L8 AIP90LB8	7,4-11,2 4,8-7,3 3,5-5,4 3,5-5,8	1030-740 440-315 235-170 235-170	1458 953 698 698	11 3 1,5 1,1	173 136 123 110
BO-13-284 12к/15-10 CA	AIP132M4 AIP100L6 AIP100L8	3,6-8,2 2,3-5,4 1,7-3,9	1122-175 475-75 256-40	1458 949 698	11 2,2 1,5	258 207 207
BO-13-284 12к/17-10 CA	AIP132M4 AIP112MA6 AIP100L8	3,9-9,1 2,6-5,9 1,9-4,3	1120-175 478-75 256-40	1458 953 698	11 3 1,5	258 221 207
BO-13-284 12к/20-10 CA	AIP132M4 AIP112MA6 AIP100L8	4,9-11,1 3,2-7,2 2,3-5,3	1120-175 475-74 257-40	1458 953 698	11 3 1,5	258 221 207
BO-13-284 12к/25-10 CA	AIP160S4 AIP112MB6 AIP112MA8	7,8-13,3 5,1-8,6 3,8-6,4	1200-423 505-178 278-98	1466 949 705	15 4 2,2	300 221 221
BO-13-284 12к/30-10 CA	AIP180S4 AIP132S6 AIP112MA8	9,6-15,7 6,4-10,3 4,6-7,5	1280-570 554-246 294-130	1470 967 705	22 5,5 2,2	340 242 221
BO-13-284 12к/35-10 CA	AIP180M4 AIP132M6 AIP112MB8	11,5-17,9 7,6-11,8 5,5-8,6	1443-785 625-340 333-180	1472 968 707	30 7,5 3	360 258 221
BO-13-284 12к/40-10 CA	AIP180M4 AIP160S6 AIP112MB8	12,7-19,9 8,4-13,2 6,1-9,6	1550-960 680-420 360-220	1472 973 707	30 11 3	360 300 221
Обозначение вентилятора	Типоразмер двигателя	Производительность, м³/с	Полное давление, Па	Частота вращения РК, об/мин	Установочная мощность, кВт	Масса не более, кг
BO-13-284 12к/45-10 CA	AIP200M4 AIP160S6 AIP132S8	14,6-22,1 9,6-14,6 7,1-10,8	1645-1180 715-515 392-280	1475 973 719	37 11 4	435 300 242
BO-13-284 12к/15-12,5 CA	IP180M4 AIP132M6 AIP132S8	7,1-16,2 4,7-10,7 3,4-7,9	1790-280 774-120 425-66	1475 970 719	30 7,5 4	410 308 292
BO-13-284 12к/17-12,5 CA	AIP180M4 AIP160S6 AIP132S8	7,8-17,8 5,2-11,8 3,8-8,7	1780-280 782-122 426-66	1472 973 719	30 11 4	410 350 292
BO-13-284 12к/20-12,5 CA	AIP200M4 AIP160S6 AIP132S8	9,6-21,9 6,3-14,5 4,7-10,7	1790-280 782-122 426-67	1475 975 719	37 11 4	485 350 292
BO-13-284 12к/25-12,5 CA	AIP200L4 AIP160M6 AIP132M8	15,4-26,1 10,2-17,2 7,5-12,7	1900-670 830-290 450-160	1476 974 719	45 15 5,5	525 375 308
BO-13-284 12к/30-12,5 CA	5A225M4 AIP180M6 AIP160S8	23,7-30,8 12,5-20,4 9,4-15,3	1800-900 880-390 495-220	1475 975 731	55 18,5 7,5	570 410 350

BO-13-284 12к/35-12,5 CA	5A250S4 5A200M6 AIP160M8	22,6-35,4 14,9-23,3 11,1-17,4	2285-1240 994-540 555-300	1482 977 731	75 22 11	705 485 375
BO-13-284 12к/40-12,5 CA	5A250M4 5A200L6 AIP160M8	24,9-39,3 16,5-26,0 12,3-19,4	2450-1520 1074-665 595-370	1481 980 731	90 30 11	750 525 375
BO-13-284 12к/45-12,5 CA	5A280S4 5A200L6 AIP180M8	28,3-43,0 18,9-28,7 14,1-21,4	2540-1820 1130-810 630-450	1466 979 731	110 30 15	1000 525 410
BO-13-284 12к/15-16 CA	5A200L6 AIP180M8	9,9-22,6 7,4-16,9	1294-200 720-112	979 731	30 15	675 560
BO-13-284 12к/17-16 CA	5A200L6 AIP180M8	10,9-24,9 8,1-18,5	1294-200 720-112	979 731	30 15	675 560
BO-13-284 12к/20-16 CA	5A225M6 AIP180M8	13,4-30,6 9,9-22,8	1300-203 720-112	982 731	37 15	720 560
BO-13-284 12к/25-16 CA	5AM250S6 5A200M8	21,6-36,5 16,1-27,1	1390-490 770-270	986 733	45 18,5	855 635
BO-13-284 12к/30-16 CA	5A250M6 5A225M8	26,6-43,2 19,8-32,2	1475-655 823-366	987 737	55 30	900 720
BO-13-284 12к/35-16 CA	5A280S6 5A225M8	31,4-49,0 23,6-36,9	1640-890 930-505	980 737	75 30	1150 720
BO-13-284 12к/40-16 CA	5A280M6 5A250S8	34,7-54,5 26,1-41,6	1760-1090 998-620	980 738	90 37	1200 855
BO-13-284 12к/45-16 CA	5A315S6 5A250M8	39,6-60,3 29,9-45,4	1860-1330 1060-760	980 740	110 45	1240 900
BO-13-284 12к/15-20 CA	5A250S8	14,6-33,3	1140-180	738	37	1020
BO-13-284 12к/17-20 CA	5A250S8	16,0-36,6	1145-180	738	37	1020
BO-13-284 12к/20-20 CA	5A250M8	19,7-45,0	1150-180	740	45	1065
BO-13-284 12к/25-20 CA	5A280M8 5A250S10	31,7-53,6 21,3-42,6	1230-430 776-274	741 589	75 30	1365 1020
BO-13-284 12к/30-20 CA	5A280M8 5A250M10	48,4-62,9 38,8-50,4	1140-570 730-356	734 589	75 37	1365 1065
BO-13-284 12к/35-20 CA	4A315S8 5A315S10	45,9-71,8 36,8-57,5	1440-780 921-500	735 588	90 55	1405 1405
BO-13-284 12к/40-20 CA	4A315M8 5A315M10 5A315S10	50,8-79,8 40,6-63,8 40,6-63,8	1545-960 990-615 990-615	735 588 588	110 75 55	1630 1630 1405
BO-13-284 12к/45-20 CA	5A355M8 5A355S8 5A315M10	58,0-88,3 58,0-88,3 46,4-70,6	1635-1170 1635-1170 1050-750	735 735 588	160 132 75	2100 1885 1630
Обозначение вентилятора	Типоразмер двигателя	Производительность, м³/с	Полное давление, Па	Частота вращения РК, об/мин	Установочная мощность, кВт	Масса не более, кг
BO-13-284 12к/25-НА-СА- 4	AIP80A2 AIP56B4 AIP63A6	1,13-1,82 0,53-0,87 0,35-0,56	804-350 183-80 76-33	2874 1370 885	1,5 0,18 0,18	43 30 32

BO-13-284 12к/30-НА-CA-4	AIP80B2 AIP63A4 AIP63A6	1,44-2,19 0,69-1,05 0,44-0,68	889-455 206-105 85-43	2871 1380 885	2,2 0,25 0,18	45 32 32
BO-13-284 12к/35-НА-CA-4	AIP90L2 AIP63A4 AIP63A6	1,66-2,57 0,80-1,23 0,51-0,79	998-607 230-140 95-58	2871 1380 885	3 0,25 0,18	55 32 32
BO-13-284 12к/40- НА-CA-4	AIP90L2 AIP63B4 AIP63A6	1,96-2,95 0,93-1,40 0,61-0,91	1130-800 255-181 107-76	2871 1365 885	3 0,37 0,18	55 32 32
BO-13-284 12к/45-НА-CA-4	AIP100S2 AIP71MA4 AIP63A6	2,29-3,28 1,10-1,57 0,70-1,00	1240-1020 285-234 115-95	2901 1391 885	4 0,55 0,18	61 40 32
BO-13-284 12к/25-НА-CA-5	AIP100S2 AIP71MA4 AIP63A6	2,24-3,58 1,07-1,71 0,68-1,09	1280-554 293-127 120-52	2901 1388 885	4 0,55 0,18	76 55 47
BO-13-284 12к/30-НА-CA-5	AIP100L2 AIP71MB4 AIP63A6	2,83-4,31 1,36-2,07 0,86-1,32	1415-725 325-165 132-68	2898 1388 885	5,5 0,75 0,18	82 55 47
BO-13-284 12к/35-НА-CA-5	AIP112M2 AIP80A4 AIP63B6	3,31-5,11 1,60-2,48 1,01-1,56	1620-985 381-232 150-92	2925 1419 892	7,5 1,1 0,25	96 68 47
BO-13-284 12к/40-НА-CA-5	AIP132M2 AIP80B4 AIP71A6	3,92-5,88 1,90-2,83 1,21-1,82	1840-1305 427-304 176-125	2931 1413 908	11 1,5 0,37	133 60 55
BO-13-284 12к/45-НА-CA-5	AIP80B4 AIP71B6	2,18-3,12 1,39-1,99	460-378 187-153	1413 900	1,5 0,55	60 55
BO-13-284 12к/25-НА-CA-6,3	AIP160S2 AIP80B4 AIP71B6	4,5-7,3 2,2-3,5 1,4-2,2	2080-900 282-210 196-85	2937 1413 900	15 1,5 0,55	200 90 86
BO-13-284 12к/30-НА-CA-6,3	AIP160M2 AIP90L4 AIP71B6	5,7-8,8 2,8-4,3 1,4-2,2	2310-1180 543-280 217-110	2937 1424 900	18,5 2,2 0,55	215 99 86
BO-13-284 12к/35-НА-CA-6,3	AIP180M2 AIP100S4 AIP80A6 AIP80A8	6,7-10,3 3,2-5,0 2,1-3,2 1,6-2,4	2600-1580 620-375 250-150 140-85	2943 1434 916 683	30 3 0,75 0,37	255 106 88 88
BO-13-284 12к/40- НА-CA-6,3	AIP100L4 AIP80B6 AIP80B8	3,8-5,7 2,5-3,7 1,8-2,7	695-495 285-205 160-113	1430 920 683	4 1,1 0,55	112 90 90
BO-13-284 12к/45-НА-CA-6,3	AIP112M4 AIP90L6 AIP90LA8	4,5-6,4 2,9-4,1 2,2-3,1	763-627 320-263 180-150	1445 936 705	5,5 1,5 0,75	126 99 99
BO-13-284 12к/25-НА-CA-8	5A200L2 AIP112M4 AIP90L6 AIP80B8	9,3-14,9 4,6-7,3 2,9-4,7 2,2-3,5	3300-1460 813-350 340-150 180-80	2946 1445 936 683	45 5,5 1,5 0,55	410 166 140 130
BO-13-284 12к/30-НА-CA-8	AIP132S4 AIP100L6 AIP90LB8	5,8-8,9 3,8-5,8 2,8-4,3	915-470 390-200 210-110	1455 949 698	7,5 2,2 1,1	187 146 140
BO-13-284 12к/35-НА-CA-8	AIP132M4 AIP112MA6 2AIP90LB8	6,8-10,5 4,4-6,8 3,2-5,0	1030-630 440-270 236-144	1458 953 698	11 3 1,1	205 166 140

BO-13-284 12к/40-НА-СА-8	AIP160S4 AIP112MB6 AIP100L8	8,0-12,0 5,2-7,8 3,2-5,7	1177-837 494-350 270-190	1466 949 698	15 4 1,5	245 166 146
BO-13-284 12к/45-НА-СА-8	AIP160M4 AIP132S6 AIP112MA8	9,3-13,3 6,1-8,8 4,5-6,4	1270-1040 550-450 294-240	1467 967 705	18,5 5,5 2,2	270 187 166
Обозначение вентилятора	Типоразмер двигателя	Производительность, м³/с	Полное давление, Па	Частота вращения РК, об/мин	Установочная мощность, кВт	Масса не более, кг
BO-13-284 12к/25-НА-СА-10	AIP160M4 AIP132S6 AIP112MA8	9,1-14,5 6,0-9,5 4,4-6,9	1310-565 570-245 303-130	1467 967 705	18,5 5,5 2,2	375 292 271
BO-13-284 12к/30-НА-СА-10	AIP180S4 AIP132M6 AIP112MB8	11,5-17,5 7,6-11,6 5,5-8,4	1457-750 630-325 335-173	1470 968 707	22 7,5 3	390 308 271
BO-13-284 12к/35-НА-СА-10	AIP180M4 AIP160S6 AIP132S8	13,3-20,6 8,8-13,6 6,5-10,1	1640-998 716-436 390-240	1472 973 719	30 11 4	410 350 292
BO-13-284 12к/40-НА-СА-10	5A200L4 AIP160M6 AIP132M8	15,8-23,7 10,4--15,6 7,7-11,5	1860-1320 810-580 440-315	1476 974 719	45 15 5,5	525 375 308
BO-13-284 12к/45-НА-СА-10	5A225M4 AIP180M6 AIP160S8	18,3-26,2 12,0-17,2 9,0-12,9	2015-1655 870-716 490-400	1479 973 731	55 18,5 7,5	570 410 350
BO-13-284 12к/25-НА-СА-12,5	5A225M4 AIP160M6 AIP160S8	17,8-28,5 11,7-18,8 8,8-14,1	2080-900 900-390 610-220	1479 974 731	55 15 7,5	635 440 415
BO-13-284 12к/30-НА-СА-12,5	5A250S4 5A200M6 AIP160M8	22,6-34,5 14,9-22,8 11,1-17,0	2310-1185 1005-515 560-290	1482 977 731	75 22 11	770 550 440
BO-13-284 12к/35-НА-СА-12,5	5A250M4 5A200L6 AIP160M8	26,2-40,4 17,3-26,7 12,9-19,9	2590-1580 1130-690 630-385	1481 979 731	90 30 11	815 550 440
BO-13-284 12к/40-НА-СА-12,5	5A280M4 5A225M6 5A200M8	30,6-45,9 20,5-30,8 15,3-22,9	2870-2040 1290-920 720-510	1466 982 733	132 37 18,5	1115 635 550
BO-13-284 12к/45-НА-СА-12,5	5A315S4 5A250M6 5A200L8	35,4-50,8 23,8-34,1 17,6-25,2	3110-2555 1400-1150 770-630	1470 987 730	160 55 22	1155 815 590
BO-13-284 12к/25-НА-СА-16	5A250M6 5A200L8	24,9-39,9 18,4-29,5	1520-655 830-360	987 730	55 22	1015 790
BO-13-284 12к/30-НА-СА-16	5A280S6 5A225M8	31,4-47,9 23,6-36,0	1660-850 940-480	980 737	75 30	1265 950
BO-13-284 12к/35-НА-СА-16	5A280M6 5A250M8	36,3-56,1 27,4-42,4	1860-1130 1060-645	980 740	90 45	1315 1015
BO-13-284 12к/40-НА-СА-16	5A315M6 5A280S8 5A250S10	42,9-64,4 32,2-48,2 25,8-38,7	2100-1495 1180-840 760-540	980 734 589	132 55 30	1355 1265 970
BO-13-284 12к/45-НА-СА-16	5A355M6 5A280M8 5A250M10	49,6-71,1 37,1-53,2 29,8-42,7	2270-1870 1270-1045 820-670	982 734 589	200 75 37	2050 1315 1015

BO-13-284 12к/25-HA-CA-20	5A280M8 5A250M10	36,2-58,0 29,1-46,5	1310-565 845-365	734 589	75 37	1555 1255
BO-13-284 12к/30-HA-CA-20	5A315S8 5A280M10	45,9-70,1 36,8-56,1	1460-747 933-478	735 588	90 45	1595 1555
BO-13-284 12к/35-HA-CA-20	5A355S8 5A315M10	53,2-82,2 42,6-65,8	1635-995 1045-640	735 588	132 75	2075 1820
BO-13-284 12к/40-HA-CA-20	5A355M8 5A355S10 5A315M12	62,9-94,3 50,3-75,4 41,7-62,6	1850-1320 1180-840 815-580	735 588 488	160 90 55	2290 2075 1820
BO-13-284 12к/45-HA-CA-20	5A355M10 5A355S12	58,0-83,2 48,4-69,3	1270-1050 885-730	588 490	110 75	2290 2075

